

X'Locker®

Boost your industrial performance,
for the distribution of materials
and equipment kept in
operational condition.

- 1** Secure your investments in one place
(machine tools, electroportative,
electronic, hydraulic, pneumatic,
valuable equipment).
- 2** Improve availability
up to 100%.
- 3** Keep in operational condition
all your equipment
(reduce immobilization costs).



**EVERYTHING
I NEED,
WHEN I
NEED IT!**

SAM'URAI 
UNITÉ DE RANGEMENT AUTOMATISÉE INTELLIGENTE

samurai-by-sam.com

 INNOVATIVE
 FRENCH
 MANUFACTURER

SAM
CRÉATEUR DE SOLUTIONS

X'Locker[®]

- **OPTIMIZE YOUR INVESTMENTS**

and improve your productivity
(avoid unnecessary stock and
anticipate peaks).



- **SECURE YOUR PROCESSES**

of maintenance and production



- **MEASURE THE LIFE CYCLE**

of your materials and negotiate
your purchases



- **PAY FOR THE USE & RENTAL**

of your materials to your
external suppliers



- **REDUCE YOUR STORAGE
SPACE BY 90%**



- **MANAGE THE DATES OF
COMMISSIONING AND CALIBRATION**

of your measuring and control
instruments



OPERATING PRINCIPLE



1

IDENTIFICATION OF THE OPERATOR

> Nominal identification



2

SEARCH & SELECTION OF DESIRED MATERIALS

> Favorites, panel, top 10...



3

DOTATION, FAVORITES, LIST AND CHOICE GUIDE

> Automatic opening of cases
> Comment on the state
of the products



4

IN OPTION: RECHARGE OPERATIONAL MATERIALS


**YOUR OPERATIONAL MATERIALS
IN A FEW SECONDS**

SAM'URAI 
UNITÉ DE RANGEMENT AUTOMATISÉE INTELLIGENTE

 INNOVATIVE
 FRENCH
 MANUFACTURER

samurai-by-sam.com

X'Locker




SAM
CRÉATEUR DE SOLUTIONS

CONFIGURE YOUR X'Locker®

Gamme XLKR-...


AUDIT OF YOUR CONSUMABLES

A SAM technical advisor proposes to carry out an audit of your consumables and a detailed characterization of your products.




OUR RECOMMENDATION

We offer you the installation of cases adapted to your needs and your frequency of use.



YOUR CONFIGURATION

7 Configurations available in standard.



Our technical advisor proposes to simulate the filling rate of your future machines and to carry out a quote with the ideal configuration for your workshops.

Build your project 4.0

SAM ASSISTANCE - SAM ADVICE: +33 (0)4 77 92 13 00

SAM ONLINE: samurai-by-sam.fr

TECHNICAL SPECIFICATIONS

Large touchscreen

- 21.5" (54.5 cm) panel usable with gloves

Access Security

- Identification by company badge

Storage Unit

- Modularity of the cases: from 4 to 16 cases in standard
- «Automatic» opening of the flaps
- SAM Tool Manager® software included
- Connection: WIFI / Ethernet / 3G / 4G

Container

- 4 adjustable feet
- Handling via fork system
- Power supply: 230V sector - 50 Hz EU
- Colors: red and black
- Dimensions: H 2000 mm - L 760 mm - P 740 mm
- Max. power: 3600W
- Operating temperature: -15°C / 40°C
- Maximum admissible load per case: 25 kg
- Total admissible load: from 100 to 400 kg depending on the model
- Protection index: IP2X
- Weight: from 195 to 230 kg depending on the model

Standards

2006/42/CE • EN 60335-2-75 • EN 60335-1
EN 61000-4-4 • EN 61000-6-4 • EN 61000-3-2
EN 61000-3-3 • EN 61000-6-2 • EN 301 489-1
EN 301 489-3 • EN 301 489-17 • EN 301 489-52
EN 60335-2-75+A11+A12+A2 • EN 60335-1+A1+A2+A11+A14

Options

- Electrical outlet
- LED lighting
- Glass case



Combine up to 9 X'Lockers in a row



SAM
CRÉATEUR DE SOLUTIONS